

---

# Apply changes

## Definition

This step is used to assign permission to a user to access to the protected resource.

## Steps Tabs

### Task details

- **Grant account access:** check it (option selected Yes ) if you want to give grant account access to the protected resource.

## Incoming transitions

The Incoming transitions tab displays the previous steps where the flow comes from. When you create a process from a template or from scratch default incoming transitions are defined. It is allowed to customize the default setup, add new transitions, or delete transitions.

- **From:** the previous step, where the flow comes. Allows you to select where the workflow comes from.
- **Incoming transition:** brief name to identify the transition. That is the name of the action the form will show to the final user.
- **To:** current step.
- **Action:** allows creating a custom script to perform specific actions.

When you create an incoming transition, Soffid creates the proper outgoing transition.

### Example

Get the mail of the requester and send a notification.

```
requester = executionContext.getVariable("requester");  
user = serviceLocator.getUserService().findUserByUsername(requester);
```

```
serviceLocator.getMailService().sendTextMail(  
    user.emailAddress,  
    "Resquest Rejected",  
    "XXXXXXXXXXXXXXXXX");
```

## Outgoing transitions

The Outcoming transition tab displays the next steps where the flow can go from the current step. When you create a process from a template or from scratch default outcoming transitions are defined. It is allowed to customize the default setup, add new transitions, or delete transitions.

- **From:** current step.
- **Incoming transition:** name of the transition.
- **To:** the next step, where the flow goes.
- **Action:** allows creating a custom script to perform specific actions.

When you create an outcoming transition, Soffid creates the proper incoming transition.

### Example

```
requester = executionContext.getVariable("requester");  
user = serviceLocator.getUserService().findUserByUserName(requester);  
.....
```

---

Revision #3

Created 29 June 2022 12:35:25 by pgarcia@soffid.com

Updated 24 November 2022 12:16:07 by pgarcia@soffid.com