BPM scripts table

Table

The table below lists the scripts that can be used at each step of the workflow


Script	Validation	Visibility	SCIM filter	on Load	on Change	on Prepare Transition	Outgoing transitions	tra
userType = **task.getVariables().get**("userType");	**Yes**	**Yes**	No	**Yes**	**Yes**	**Yes**	No	
task.getVariables().put("action", "M");	No	No	No	**Yes**	No	No	No	
if (**value** == null || value.equals("")) return ("The userName is mandatory"); else return true;	**Yes**	No	No	**Yes**	**Yes**	No	No	
user = serviceLocator.getUserService(). **getCurrentUser**();	**Yes**	**Yes**	No	**Yes**	**Yes**	**Yes**	**Yes**	


lu = **serviceLocator** .getUserService().findUserByJsonQuery("userName eq \""+un+"\" ");	**Yes**	**Yes**	No	**Yes**	**Yes**	**Yes**	**Yes**	
firstName = (**inputFields.get** ("firstName")!=null) ? **inputFields.get** ("firstName").value : null;	**Yes**	**Yes**	No	No	**Yes**	**Yes**	No	
inputFields .get("firstName").value = firstName;	**Yes**	**Yes**	No	No	**Yes**	**Yes**	No	
a = **executionContext .getVariable** ("firstName");	No	No	No	No	No	No	**Yes**	
executionContext .setVariable ("firstName", a)	No	No	No	No	No	No	**Yes**	
executionContext .getToken().addComment ("Automatic comments .....");	No	No	No	No	No	No	**Yes**	

user = serviceLocator.getUserService().getCurrentUser(); task.getVariables().put("action", "M"); task.getVariables().put("userSelector", user.userName); **workflowWindow.fetchUserAttributes()**	No	No	No	**Yes**	No	No	No	
firstName co "soffid" AND primaryGroup eq "world"	No	No	**Yes**	No	No	No	No	

Location

Here you can find all kinds of scripts.





Revision #1
Created 9 November 2026 15:22:20 by Sion Vives
Updated 9 November 2026 16:00:06 by Sion Vives