Step 2.- How to configure Break glass?

Configuration

Once you have installed the Break glass addon and Break glass tool, you must configure this tool


Steps

Break-glass recovery configuration

1. First of all, you need to configure the Break glass recovery. To do this, you need to browse to Break-glass recovery configuration menu option:

   `Main Menu > Administration > Configuration > Security settings > Break-glass recovery configuration`

2. Then, you need to configure the Authorized users and Authorized application:



> Bear in mind to generate and copy your token because you will need it to configure the Break glass tool

3. Click the Apply changes button to save your data.

> For more information about this screen, you can visit the Break-glass recovery configuration page.

Break-glass recovery tool


4. Once you have configured your Break-glass recovery configuration, you need to browse to http://localhost:8445/



5. Here you need to configure your Break glass tool with the proper data.


> Please note that here you need your token, previously copied.

Here is an example:



6. Click the configure button

6.1. If the data are saved properly this message is displayed:



6.2 If the tool can not connect to your Sync Server a message like this will be displayed:

This can be because:

- You need to apply changes at the Break-glass recovery configuration.
- The Authorized application is not enable.
- The token is incorrect.
- The Sync server is down.



Now the Soffid Breack glass is configured

Revision #8
Created 25 July 2024 06:23:11
Updated 29 July 2024 13:37:23