

Data schema descriptor

Schema description

The schema must be expressed as an XML file. This file should be located at a core addon module and be named plugin-ddl.xml.

This DDL file can contain descriptions for tables, indexes and foreign keys.

Tables

A table is composed of a `<table>` entity containing one or more `<column>` entities:

Attributes for <code><table></code> entity	
name	Table name

Attributes for <code><column></code> entity	
name	Column name
type	It can have one of the following values, as stated at <code>java.sql.Types</code> class: INTEGER LONG BOOLEAN / BIT FLOAT DOUBLE VARCHAR CHAR DATE CLOB BLOB
length	Optional column size.
notNull	true if it cannot contain null values
primaryKey	true if it's part of the primary key. The primary key will be composed of all attributes marked as primary key. The order of them will be the same as their appear order at XML fi

Foreign keys

A foreign key is declared using the `<foreignKey>` entity. It will contain one or more `<column>` entities. Each columns identifies a member of the foreign key. It will also contain one or more `<foreignColumn>` entities. Each `foreignColumn` entity specifies the name of the corresponding column at the foreign table.

Attributes for entity <code><foreignKey></code>	
name	Foreign key name
tableName	Table name
foreignTableName	Name of master table

Attributes for <code><column></code> entity	
name	Column containing the foreign key

Attributes for <code><foreignColumn></code> entity	
name	Column containing the foreign key

Indexes

An index is declared using the `<index>` entity. It will contain one or more `<column>` entities. Each column identifies a member of the index.

Attributes for <code><index></code> entity	
name	Index name
tableName	Table name
unique	true if no duplicated keys will be allowed

Attributes for entity <code><column></code>	
name	Column to be indexed

Sample plugin-ddl.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<database>
  <table name="t1">
    <column name="id" type="LONG" notNull="true"
      autoIncrement="true" primaryKey="true"/>
    <column name="vc" type="VARCHAR" length="55"/>
    <column name="t1date" type="DATETIME" notNull="true"/>
    <column name="userid" type="LONG" />
  </table>
  <index name="i1" table="t1">
    <column name="vc"/>
  </index>

  <table name="t2">
    <column name="id" type="LONG" primaryKey="true"/>
  </table>
  <foreignKey name="t1_fk" table="t1" foreignTable="t2">
    <column name="userid"/>
    <foreignColumn name="id"/>
  </foreignKey>
</database>
```

Revision #2

Created 1 June 2021 06:56:26 by pgarcia@soffid.com

Updated 1 June 2021 09:31:45 by pgarcia@soffid.com