

---

# ui.xml descriptor

## Introduction

The user interface descriptor follows the attached schema: [ui.xsd](#)

## Versioning

JBPM denotes business process definition using a sequential number. This approach is not practical for business process management. So, every ui.xml file should have a **tag** tag, identifying the actual version of the process definition.

## Permissions

The business process permissions are enclosed in a **roles** tag. This tag must have three inner tags:

Tag	Description
initiator	Contains the users and roles that are authorized to start a new process instance.
supervisor	Contains the users and roles that can act as this process supervisor. A supervisor can take ownership of any task of the process at any time, as well as cancel any active process. Process supervisors are also enabled to upgrade or disable the process definition
observers	Observers can query the process status at any time. Any user that has been assigned a task (despite taken their ownership or not) within a process instance is automatically given the observer permission on this particular process instance.

## Process definition upgrade

Soffid allows the process definition developer to decide whether existing but not yet finished process instances should be upgraded to the new process definition when it is uploaded on Soffid console.

To do this, the ui.xml should have an **upgrade** tag. Within there can be one or more **process** tags. Each process must have a **tag** tag that identifies previous business definition versions that should be upgraded to this one. The upgrade will be performed as long as the current node and current task of the process instance token exists on this new version.

If no node and tasks with such name exists on the new process definition, the process instance will remain on its elder version.

To circumvent this limitation, specially when nodes or tasks have been renamed, the developer can specify the target node or task for some current tasks. This mission is accomplished using one or more **task** tags. Each task tag should have a **source** and a **target** attribute. So, when the process upgrade is performed, the first step will be to search for a task tag with a source attribute matching the current task. If it exists, the process will be upgraded and the new task will be that one with the target attribute name.

## User Interface resources

Soffid will try to guess the user interface page based on the task name. If no user interface exists with the same name as the task name, a ui/default.zul will be used. Anyway, it's a good practice to specify which user interface page will be used for each business process task. This is accomplished by using the **task** tag. Following the **task** tag, a **file** tag with a path attribute will tell Soffid which resource to use with such a task.

## Example

Sample ui.xml file

```
<?xml version="1.0" encoding="UTF-8"?>
<process>
  <!-- Current work in progress version -->
  <tag>1.0.3-SNAPSHOT</tag>
  <roles>
    <!-- Everyone can start this process -->
    <initiator>
      <user name="*" />
    </initiator>
  </roles>

```

```

    <!-- Only SOFFID_ADMIN can manage this process -->
    <supervisor>
        <role name="SOFFID_ADMIN" />
    </supervisor>
    <!-- HR group members will be allowed to query processes status -->
    <observer>
        <role name="HR" />
    </observer>
</roles>
<!-- This specifies the resource for New sync server request -->
<task name="New sync server request">
    <file path="ui/request.zul" />
</task>
<upgrade>
    <!-- Upgrade 1.0.0 version processes -->
    <process>
        <tag>1.0.0</tag>
    </process>
    <!-- Do not upgrade 1.0.1 or 1.0.2 version processes -->
    <!-- Upgrade prior 1.0.3-SNAPSHOT versions, renaming badly spelled task -->
    <process>
        <tag>1.0.3-SNAPSHOT</tag>
        <task source="New synk server request" target="New sync server request" />
    </process>
</upgrade>
</process>

```

Revision #4

Created 1 June 2021 07:41:47 by pgarcia@soffid.com

Updated 1 June 2021 09:32:05 by pgarcia@soffid.com