

How to configure the Office 365 agent?

Office 365 integration

Prerequisites

- You need to install the last version of JSON Rest Connector

Configuration

Configure the Basic data to establish the connection

Basics Attribute mapping Load triggers Massive actions Account metadata

Task engine mode: Automatic (each change is automatically sent to target systems)

Name: Office365_connector

Description: Office365_connector

Type: JSON/XML/SOAP Rest webservice Class: com. soffid. iam. sync. agent2. json. JSONAgent

Server: Each main synchronization server

Shared Thread: No Dedicated threads: 1

Task timeout (ms): Long task timeout (ms):

Trust passwords: Yes

Authoritative identity source: No

Read only: Yes

Manual account creation: Yes

User domain: Default user domain *

Passwords domain: Default password domain *

Connector parameters:

Server URL: https://graph.microsoft.com/

Authentication method: Token O/A

Authentication URL: http://login.microsoftonline.com/23232ee-434-d343/oauth2/v2.0/token

Token attr. output: grant_type=client_credentials&client_id=234fsfd3-f4&scope=https://grap.microsoft.com/.default

Request parameters: Client ID

Then, configure the attribute mappings

System objects

USER (SYNC) based on user

- Methods
- Properties
- Attributes
- Triggers

ACCOUNT based on account

- Methods
- Properties
- Attributes
- Triggers

Soffid provides you versions of the attribute mappings to import into the agent configuration:

- *Basic* attribute mappings: [agent-config-Office365-Basic.xml](#)
- Attribute mappings with *immutable ID and Azure groups*: [agent-config-Office365-MoreComplex.xml](#)

Revision #11

Created 27 July 2022 10:59:41

Updated 28 July 2022 08:00:41