

# 12. Registry class

## Introduction

Manipulate the windows registry.

## Constructor

Registry	path: string	Create an object of type Registry
----------	--------------	-----------------------------------

## Global objects

Registry.HKEY_LOCAL_MACHINE	Tree Key LOCAL_MACHINE
Registry.HKEY_CURRENT_USER	Tree CURRENT_USER key
Registry.HKEY_USERS	Tree Key USERS
Registry.HKEY_CLASSES_ROOT	Tree Key CLASSES_ROOT
Registry.HKEY_LOCAL_MACHINE32	Tree LOCAL_MACHINE 32-bit keys
Registry.HKEY_CURRENT_USER32	Tree CURRENT_USER key 32bit
Registry.HKEY_USERS32	Tree 32bit key USERS
Registry.HKEY_CLASSES_ROOT32	Tree CLASSES_ROOT 32-bit keys

## Methods

openKey	path: string returns Registry	Opens a registry subkey.
createKey	path: string returns Registry	Creates a registry subkey.

getValue	entryName: string Object returns	Reads registry value.
setValue	entryName: string value: Object type: string	Updates a registry value. Type (optional) can be: - REG_SZ - REG_EXPAND_SZ - REG_BINARY - REG_DWORD - REG_MULTI_SZ

---

Revision #5

Created 25 May 2021 11:15:59 by pgarcia@soffid.com

Updated 30 June 2022 13:09:24 by pgarcia@soffid.com