

ESSO Scripting examples

1. Run an application like notepad

```
exec ("notepad.exe");
```

2. Automatic application update

```
if (SystemInfo.os == "Linux") {  
    exec ("(mkdir /tmp/google-chrome-updates && " +  
        " wget -O /tmp/google-chrome-updates/google-chrome-stable_current_amd64.deb " +  
        " -c https://dl.google.com/linux/direct/google-chrome-stable_current_amd64.deb " +  
        " && apt-get update && sudo apt-get install libappindicator1 " +  
        " && sudo dpkg -i /tmp/google-chrome-updates/google-chrome-stable_current_amd64.deb " +  
        " && sudo apt-get install google-chrome-stable) " +  
        " </dev/null >>/var/log/google-chrome-stable_current_amd641.log 2>&1 "  
    );  
}
```

3.

```
<Mazinger>  
<WebApplication url="https://jira.soffid.com/.*" >  
    <Input id="login-form-username" ref-as="u"/>  
    <Input id="login-form-password" ref-as="p"/>  
    <Input id="login" ref-as="b"/>  
    <Action event="onLoad" type="script" repeat="true" delay="5">  
        account = secretStore.getAccount("soffid.org-ldap");  
        debug("Account = "+account);  
        u.setAttribute("value", account);  
        password = secretStore.getPassword("soffid.org-ldap", account);  
        debug("Password = "+password);  
        p.setAttribute("value", password);  
        sleep(100);  
        debug("Clicking");  
        b.click();  
        debug("Clicked");
```

```
</Action>  
</WebApplication>  
</Mazinger>
```

Revision #8

Created 16 March 2022 16:32:26 by pgarcia@soffid.com

Updated 8 March 2024 09:44:19 by pgarcia@soffid.com