
SSH Gateway Connection

Introduction

We can establish a connection to the target system using the SSH remote access protocol.

How to connect 1

You can establish the connection with the ssh gateway and then Soffid will ask your password and the target system parameters to connect:

- **Password:** password of your account to connect to Soffid.
- **Target server:** system to which you want to connect.
- **Account to use:** account to use to connect to the target system.
- **Account source system**

```
root@soffid:~# ssh -p 2222 dilbert@ssh-gateway
Password:
Target server: 10.129.120.5
Account to use: patricia
Account source system [leave blank to use a target system local account]:
```

```
_____
|           _           |
|          _/          |
| _ _ /_/_° _|         | | | | |
| |_ / \ | | | / |         |
| _|\_ / | | |\_ / SSH GATEWAY |
|          _/          |
|                   |
| Hello dilbert          |
| NOTICE: This session is being recorded |
|_____|
```

Connecting to 10.129.120.5 as patricia

Last login: Fri Apr 8 08:39:23 2022 from 10.129.120.6

[patricia@forgecentos ~]\$

How to connect 2

You can establish the connection with the target system typing all the parameters to connect in one line AccountName__HostName__TargetAccount. At the end, Soffid will ask the password of your account to connect.

- **Account name:** account to connect to Soffid.
- **Host name:** target system to which you want to connect.
- **Target account:** account to connect to the target system.
- **Password:** password of your account to connect to Soffid.

```
root@soffid:~# ssh -p 2222 dilbert_10.129.120.5_patricia@ssh-gateway
```

Password:

```
_____
|      _      |
|     _/     |
|  _ _ /_ | ° _| | | |
| | / \ | | / |
| _|\_/ | | |\_/ SSH GATEWAY |
|     _/      |
|              |
| Hello dilbert      |
| NOTICE: This session is being recorded |
|_____|
```

Connecting to 10.129.120.5 as patricia

Last login: Fri Apr 8 09:57:22 2022 from 10.129.120.6

[patricia@forgecentos ~]\$

How to connect 3

You can establish the connection with the target system typing all the parameters to connect in one line AccountName__HostName__TargetAccount and using a ssh key.

- **Account name:** account to connect to Soffid.
- **Host name:** target system to which you want to connect.
- **Target account:** account to connect to the target system.

You can generate an ssh key to connect or use your existing ssh key.

- Generate a new ssh key: `ssh-keygen -t rsa`
- Read an existing ssh key: `cat .ssh/id_rsa.pub`

Then you need to include it in Soffid Console in your user data.

Finally you can establish the connection.

```
pgarcia@soffid:~$ ssh -p 2222 pgarcia_10.129.120.5_patricia@ssh-gateway
```

```
_____
|           _           |
|          _/          |
| _ _ /_/_° _|        | | | | |
| | _ / \ | | | / |    |
| _|\_/ | | | \_/ SSH GATEWAY |
|          _/          |
|           |           |
| Hello pgarcia          |
| NOTICE: This session is being recorded |
|_____|
```

```
Connecting to 10.129.120.5 as patricia
```

```
Last login: Fri Apr 8 11:57:19 2022 from 10.129.120.6
```

```
[patricia@forgecentos ~]$
```

Soffid needs the **ssh_key** attribute in the user object metadata, please check the attribute is created properly, and the fill in with your public key.

Object type :
 Description :

Order	Code
Filter	Filter
28	__AUDIT__
29	createdByUser
30	createdDate
31	modifiedByUser
32	modifiedDate
33	RegisterServiceProvider
34	ActivationKey
35	___OTHER DATA__
36	language
37	country
38	Color
104	office
104	company
105	IAMIndicator
9999	ssh_key

Attribute metadata

Attribute metadata < 42 / 42

Code :

Label :

Data type:

User hint :

Description :

Required : No

Include in quick search : No

Prevent duplicated values : No

Multiple values : Yes No

Maximum number of rows to display :

Size :

Values :

Administrator visibility :

Operator visibility :

User visibility :

Visibility expression :

Common attributes

User name :

First name :

Last Name :

Middle name :

Full name :

Birth date :

Organization

Type :

Primary group : OU=admingroup,DC=testora,DC=lab

Home server :

Profile server :

Manager :

Contract type :

Fotografia :

Mail service

Internal eMail :

Mail alias :

External email :

Mail server :

Other

NIF :

PHONE :

User status

Enabled : No

Multi session : No

Comments :

Audit information

Created by : admin Soffid Administrator

Created on : 5/31/21 14:16

Modified by : admin Soffid Administrator

Modified last on : 4/8/22 10:13

RegisterServiceProvider : RegisterServiceProvider

ActivationKey : ActivationKey

OTHER DATA

SSH Public key :

https://es.wikipedia.org/wiki/Secure_Shell

Revision #18

Created 8 April 2022 08:30:05

Updated 5 December 2024 16:09:18