Account resource

/Account

Dictionary table

> The diagram service model of the object:
> https://download.soffid.com/doc/console/4.0.0/uml/com/soffid/iam/base/api/Account.html

Soffid allows you to add customized data to the Account object. You can do that on metadata option:

> Main Menu > Configuration > Global Settings > Metadata

Query Schema

It is allowed to consult all the Account definition using the Schema query:

Request

```
GET https://<your-domain>/soffid/webservice/scim2/v1/Schemas/urn:soffid:com.soffid.iam.base.api.Account
```

Response 200 OK


```
{
  "meta": {
    "location":
"https://console.soffid4.local:8443/soffid/webservice/scim2/v1/Schemas/urn:soffid:com.soffid.iam.base.api.Accou
nt",
    "resourceType": "Schema"
```

```
},
"schemas": [
  "urn:ietf:params:scim:schemas:core:2.0:Schema"
],
"name": "Account",
"description": "Account object",
"attributes": [
  {
    "uniqueness": "none",
    "name": "system",
    "mutability": "readWrite",
    "type": "string",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": true
  },
  {
    "uniqueness": "none",
    "name": "name",
    "mutability": "readWrite",
    "type": "string",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": true
  },
  {
    "uniqueness": "none",
    "name": "loginName",
    "mutability": "readWrite",
    "type": "string",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": false
  },
  {
    "uniqueness": "none",
```

```
  "name": "description",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "type",
  "canonicalValues": [
    "U",
    "S",
    "P",
    "I"
  ],
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": true
},
{
  "uniqueness": "none",
  "name": "status",
  "canonicalValues": [
    "a",
    "FA",
    "I",
    "d",
    "FD",
    "r",
    "x"
  ],
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
```

```
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "credentialType",
  "canonicalValues": [
    "PASS",
    "SSH",
    "KUBE"
  ],
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "passwordPolicy",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": true
},
{
  "uniqueness": "none",
  "name": "ownerGroups",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
```

```
{
  "uniqueness": "none",
  "name": "ownerUsers",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "ownerRoles",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "managerGroups",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "managerUsers",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
```

```
},
{
  "uniqueness": "none",
  "name": "managerRoles",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "grantedGroups",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "grantedUsers",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "grantedRoles",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
```

```
  "required": false
 },
 {
  "uniqueness": "none",
  "name": "serverType",
  "canonicalValues": [
   "Windows",
   "Linux",
   "Database"
  ],
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
 },
 {
  "uniqueness": "none",
  "name": "serverName",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
 },
 {
  "uniqueness": "none",
  "name": "sshPublicKey",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
 },
 {
  "uniqueness": "none",
```

```
  "name": "vaultFolderId",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "inheritNewPermissions",
  "mutability": "readWrite",
  "type": "boolean",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": true
},
{
  "uniqueness": "none",
  "name": "loginUrl",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "launchType",
  "canonicalValues": [
    "S",
    "W",
    "P"
  ],
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
```

```
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "jumpServerGroup",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "externalId",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "lastLogin",
  "mutability": "readOnly",
  "type": "dateTime",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "lastUpdated",
  "mutability": "readOnly",
  "type": "dateTime",
```

```
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "lastPasswordSet",
  "mutability": "readOnly",
  "type": "dateTime",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "passwordExpiration",
  "mutability": "readOnly",
  "type": "dateTime",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "lockedBy",
  "mutability": "readOnly",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "passwordStatus",
  "canonicalValues": [
```

```
      "PASSWORD_GOOD",
      "PASSWORD_WRONG",
      "PASSWORD_GOOD_EXPIRED"
    ],
    "mutability": "readOnly",
    "type": "string",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": false
  },
  {
    "uniqueness": "none",
    "name": "created",
    "mutability": "readOnly",
    "type": "dateTime",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": false
  },
  {
    "uniqueness": "none",
    "name": "lastChange",
    "mutability": "readOnly",
    "type": "dateTime",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": false
  },
  {
    "uniqueness": "none",
    "name": "createdBy",
    "mutability": "readOnly",
    "type": "string",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
```

```
  "required": false
},
{
  "uniqueness": "none",
  "name": "updatedBy",
  "mutability": "readOnly",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "subattributes": [
    {
      "uniqueness": "none",
      "name": "value",
      "description": "The password itself, in  clear text",
      "mutability": "writeOnly",
      "type": "string",
      "caseExact": true,
      "multiValued": false,
      "required": true
    },
    {
      "uniqueness": "none",
      "name": "expired",
      "description": "If not set to false, the user will be prompted to change it on next logon",
      "mutability": "readWrite",
      "type": "boolean",
      "caseExact": true,
      "multiValued": false,
      "required": false
    }
  ],
  "uniqueness": "none",
  "name": "password",
  "description": "Change current account password",
  "mutability": "writeOnly",
```

```
      "type": "complex",
      "caseExact": true,
      "multiValued": false,
      "required": false
    },
    {
      "uniqueness": "none",
      "name": "attributes",
      "mutability": "readWrite",
      "type": "complex",
      "caseExact": true,
      "multiValued": false,
      "required": false
    }
  ],
  "id": "urn:soffid:com.soffid.iam.base.api.Account"
}
```


Full JSON example

> Visit SCIM Account examples page

Revision #18
Created 4 May 2021 15:21:11
Updated 6 March 2026 10:31:48 by David Gómez