MailList resource

/MailList

Dictionary table

> The diagram service model of the object:
> https://download.soffid.com/doc/console/4.0.0/uml/com/soffid/iam/iga/api/MailList.html

Soffid allows you to add customized data to the user object. You can do that on metadata, on the proper object.

> Main Menu > Administration > Configure Soffid > Global Settings > Metadata

Query Schema

It is allowed to consult all the MailList definition using the Schema query:

Request

```
GET https://<your-domain>/soffid/webservice/scim2/v1/Schemas/urn:soffid:com.soffid.iam.iga.api.MailList
```

Response 200 OK


```
{
  "meta": {
    "location":
"https://console.soffid4.local:8443/soffid/webservice/scim2/v1/Schemas/urn:soffid:com.soffid.iam.iga.api.MailList
",
    "resourceType": "Schema"
```

```
},
"schemas": [
  "urn:ietf:params:scim:schemas:core:2.0:Schema"
],
"name": "MailList",
"description": "MailList object",
"attributes": [
  {
    "uniqueness": "none",
    "name": "name",
    "mutability": "readWrite",
    "type": "string",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": true
  },
  {
    "uniqueness": "none",
    "name": "domainName",
    "mutability": "readWrite",
    "type": "string",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": true
  },
  {
    "uniqueness": "none",
    "name": "description",
    "mutability": "readWrite",
    "type": "string",
    "caseExact": true,
    "returned": "default",
    "multiValued": false,
    "required": false
  },
  {
    "uniqueness": "none",
```

```
  "name": "lists",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "externalList",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "roleMembers",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "groupMembers",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
```

```
  "uniqueness": "none",
  "name": "usersList",
  "mutability": "readWrite",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "listsBelong",
  "mutability": "readOnly",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
{
  "uniqueness": "none",
  "name": "explodedUsersList",
  "mutability": "readOnly",
  "type": "string",
  "caseExact": true,
  "returned": "default",
  "multiValued": true,
  "required": false
},
{
  "uniqueness": "none",
  "name": "createdOn",
  "mutability": "readOnly",
  "type": "dateTime",
  "caseExact": true,
  "returned": "default",
  "multiValued": false,
  "required": false
},
```

```
    {
      "uniqueness": "none",
      "name": "createdBy",
      "mutability": "readOnly",
      "type": "string",
      "caseExact": true,
      "returned": "default",
      "multiValued": false,
      "required": false
    },
    {
      "uniqueness": "none",
      "name": "updatedOn",
      "mutability": "readOnly",
      "type": "dateTime",
      "caseExact": true,
      "returned": "default",
      "multiValued": false,
      "required": false
    },
    {
      "uniqueness": "none",
      "name": "updatedBy",
      "mutability": "readOnly",
      "type": "string",
      "caseExact": true,
      "returned": "default",
      "multiValued": false,
      "required": false
    }
  ],
  "id": "urn:soffid:com.soffid.iam.iga.api.MailList"
}
```


Full JSON example

> Visit SCIM MailList examples page.

Revision #13
Created 6 May 2021 07:23:18
Updated 6 March 2026 10:29:50 by David Gómez