2026-06-12 New feature: inheriting authorisations in new applications

The new feature

> Now, on the Application access tree page, when creating an entry point, a **folder** or an **application**, the **authorizations** from the **parent** folder are now **inherited**.

Bear in mind

Please note the following points:

- If there are multiple levels of folders, **only** the **authorizations** from the **parent folder** are **inherited**.


How to configure it?

The following **components** must be installed:


- Console 3.6.75 (or higher)

Let's look at an example

On our "'**Application access tree**" page, there are **two** levels of **folders**.




The **first folder** contains the following authorisations.



The **second folder** contains the following authorisations, the "Manager" user is different.



Now, let's **create a new application** in the **second folder**.



If we access it, we can see that it has the **authorizations** of its **parent Folder**.

Basics | Authorizations | Executions | ESSO

Application C

Level	Scope	Owner	Description
Filter	Filter	Filter	Filter
Execute	user	santiago.rodríguez	Santiago Rodríguez null [santiago.rodríguez]
Execute	group	Perú	Perú [Perú]
Execute	role	Ingeniero de QA@APP_USERS	Ingeniero de QA@APP_USERS (APP_USERS)
Execute	account	testShared@soffid	testShared
Manage	user	benjamín.flores	Benjamín Flores null [benjamín.flores]

Displayed rows: 5

Revision #4
Created 10 July 2026 16:06:22 by Sion Vives
Updated 12 July 2026 10:03:48 by Sion Vives