

# Break-glass recovery configuration

## Definition

Break glass is the mechanism that allows users to gain emergency access to critical systems or information under exceptional circumstances when normal access procedures are not viable.


For more information you can visit [the Break Glass book](#).

## Screen overview

### Authorized users


User :

admin

 Soffid Administrator


User :

aretha

 Aretha Franklin

User :

etaylor

 Elizabeth Taylor

Number of users required to break the glass :

2

### Authorized application

Enabled :

Yes

III

Token :

c7



### Audit information

Created by :	pgarcia	Patricia García
Created on :	24/7/2024 08:22	
Modified by :	pgarcia	Patricia García
Modified last on :	25/7/2024 10:38	

 Undo

 Apply changes

# Related objects

## 1. User

# Standard attributes

## Authorized users

Allows you to configure from one to three users to break glass

- **User:** allows you to choose the first users to break the glass.
- **User:** allows you to choose the second users to break the glass.
- **User:** allows you to choose the third users to break the glass.
- **Number of users required to break the glass:** this number allows you to configure the number of users required to break the glass

## Authorized application


- **Enabled:** allows you to enable or disable the the break-glass recovery.

- **Token:** allows you to generate a new token by clicking the refresh icon.

## Audit information

- **Created by**
- **Created on**
- **Modified by**
- **Modified last on**

## Actions

<b>Generate Token</b>	Allows you to generate a new Token by clicking the refresh icon 
<b>Apply changes</b>	Allows you to update the changes made on the break glass recovery configuration.
<b>Undo</b>	Allows you to quit without applying any changes.