
Detected browsers

Description

> The Browsers Detected screen allows the administrator to view the browsers and versions being used by SSO users.

Screen overview



Related objects

- Hosts : host of the system each one in a network.
- Detected browsers : detected browners in a network.
- Printers : configured printers in a network.

- Soffid parameters : you can specify a parameter to be applied only in a network.
- Network discovery : to discover the máquinas and systems in the configured networks.

Standard attributes

Browsers table

- **Operating system**: used by the Active Directory agent in order to know if this host must be have an Active Directory host account. Using this functionality, no operator needs to be authorized to add or remove hosts on Active Directory. Soffid will do it for them. More and more, whenever this hosts is left off its IP address, the host account will be removed from Active Directory. This behavior can, of course, be customized.
- **Browser name**: browser name detected.
- **IP Address**: host IP.
- **Last user**: last user connected.
- **Host name**: host name.
- **Serial number**
- **Device type**
- **CPU**
- **Last connection**
- **Locked**
- **Created on**
- **Created by**
- **Updated on**
- **Updated by**

Actions

Browsers table

"Query"	Allows you to query detected browsers through different search systems, Quick, Basic and Advanced.
Download CSV file	Allows you to download a csv file with the hosts information.

View	Allows you to show and hide columns in the table. You can also set the order in which the columns will be displayed.

Revision #8
Created 26 June 2025 13:28:14 by Sion Vives
Updated 22 September 2025 13:01:06 by Sion Vives