

# Operation

## Operation

The Lucene index information is stored in files arranged in a folder structure. This folder structure is replicated in every Soffid Console and every Sync Server and also is saved in the database.

In case an instance (Docker, Kubernetes, or stand-alone) detects an inconsistency, the information will be overwritten with the database data.

When you update an object, marked as the textual index, a task will be created. The **soffid agent** will execute this task and the Sync Server will update the database tables related to the textual index.

## Folder structure

The folder structure is the following:

- `../index/<TENANT>/<SOFFID_OBJECT>`

## Example

1. Here you are the folder structure for the Soffid Console

```
Images

root@200d60e4947a:/opt/soffid/iam-console-4/index/master# ll
total 16
drwxr-x--- 4 root root 4096 Sep 27 07:21 ./
drwxr-xr-x 3 root root 4096 Jul 11 16:36 ../
drwxr-x--- 2 root root 4096 Sep  7 15:00 bpm/
drwxr-x--- 2 root root 4096 Sep 27 07:45 com.soffid.iam.base.api.User/
```

```

root@200d60e4947a:/opt/soffid/iam-console-4/index/master/com.soffid.iam.base.api.User# ll
total 88
drwxr-x--- 2 root root 4096 Sep 27 07:45 ./
drwxr-x--- 4 root root 4096 Sep 27 07:21 ../
-rw-r----- 1 root root 447 Sep 27 07:40 _4.cfe
-rw-r----- 1 root root 2519 Sep 27 07:40 _4.cfs
-rw-r----- 1 root root 340 Sep 27 07:40 _4.si
-rw-r----- 1 root root 67 Sep 27 07:41 _b_3.liv
-rw-r----- 1 root root 447 Sep 27 07:40 _b.cfe
-rw-r----- 1 root root 3695 Sep 27 07:40 _b.cfs
-rw-r----- 1 root root 378 Sep 27 07:40 _b.si
-rw-r----- 1 root root 447 Sep 27 07:40 _c.cfe
-rw-r----- 1 root root 2530 Sep 27 07:40 _c.cfs
-rw-r----- 1 root root 340 Sep 27 07:40 _c.si
-rw-r----- 1 root root 447 Sep 27 07:41 _e.cfe
-rw-r----- 1 root root 2662 Sep 27 07:41 _e.cfs
-rw-r----- 1 root root 338 Sep 27 07:41 _e.si
-rw-r----- 1 root root 447 Sep 27 07:41 _i.cfe
-rw-r----- 1 root root 2623 Sep 27 07:41 _i.cfs
-rw-r----- 1 root root 338 Sep 27 07:41 _i.si
-rw-r----- 1 root root 447 Sep 27 07:44 _m.cfe
-rw-r----- 1 root root 2685 Sep 27 07:44 _m.cfs
-rw-r----- 1 root root 338 Sep 27 07:44 _m.si
-rw-r----- 1 root root 564 Sep 27 07:44 segments_m

```

## 2. And the folder structure for the Soffid Syncserver

### Images

```

root@sync-server-version4:/opt/soffid/iam-sync/index/master# ll
total 16
drwxr-xr-x 4 root root 4096 Sep 27 07:32 ./
drwxr-xr-x 3 root root 4096 Sep 16 16:02 ../
drwxr-xr-x 2 root root 4096 Sep 16 16:03 bpm/
drwxr-xr-x 2 root root 4096 Sep 27 08:17 com.soffid.iam.base.api.User/

root@sync-server-version4:/opt/soffid/iam-sync/index/master/com.soffid.iam.base.api.User# ll
total 88
drwxr-xr-x 2 root root 4096 Sep 27 08:17 ./
drwxr-xr-x 4 root root 4096 Sep 27 07:32 ../
-rw-r--r-- 1 root root 447 Sep 27 07:40 _4.cfe
-rw-r--r-- 1 root root 2519 Sep 27 07:40 _4.cfs
-rw-r--r-- 1 root root 340 Sep 27 07:40 _4.si
-rw-r--r-- 1 root root 67 Sep 27 07:41 _b_3.liv
-rw-r--r-- 1 root root 447 Sep 27 07:40 _b.cfe
-rw-r--r-- 1 root root 3695 Sep 27 07:40 _b.cfs
-rw-r--r-- 1 root root 378 Sep 27 07:40 _b.si
-rw-r--r-- 1 root root 447 Sep 27 07:41 _e.cfe
-rw-r--r-- 1 root root 2662 Sep 27 07:41 _e.cfs
-rw-r--r-- 1 root root 338 Sep 27 07:41 _e.si
-rw-r--r-- 1 root root 447 Sep 27 07:41 _i.cfe
-rw-r--r-- 1 root root 2623 Sep 27 07:41 _i.cfs
-rw-r--r-- 1 root root 338 Sep 27 07:41 _i.si
-rw-r--r-- 1 root root 447 Sep 27 07:44 _m.cfe
-rw-r--r-- 1 root root 2685 Sep 27 07:44 _m.cfs
-rw-r--r-- 1 root root 338 Sep 27 07:44 _m.si
-rw-r--r-- 1 root root 447 Sep 27 08:17 _q.cfe
-rw-r--r-- 1 root root 2532 Sep 27 08:17 _q.cfs
-rw-r--r-- 1 root root 338 Sep 27 08:17 _q.si
-rw-r--r-- 1 root root 564 Sep 27 08:17 segments_q
-rw-r--r-- 1 root root 0 Sep 27 07:41 write.lock

```

# Database

The database tables involved:

- SC\_LUINPA
- SC\_LUNIND

## Example

1. The database structure

```
Images

MariaDB [soffid042]> select * from SC_LUNIND;
+-----+-----+-----+-----+
| LIP_ID | LIP_NAME                               | LIP_TEN_ID | LIP_TIMSTA |
+-----+-----+-----+-----+
| 101390 | master/bpm                             | 1          | 1758038614646 |
| 197420 | master/com.soffid.iam.base.api.User    | 1          | 1758961050456 |
+-----+-----+-----+-----+
2 rows in set (0.000 sec)

MariaDB [soffid042]> select * from SC_LUINPA \G
***** 1. row *****
  LIP_ID: 101391
LIP_LIN_ID: 101390
  LIP_NAME: _b.nvm
  LIP_ORDER: 0
LIP_TEN_ID: 1
  LIP_DATA: ?\lLucene90NormsMetadata      i d\{*V.<A\nc\
+          \(\<C\
LIP_TIMSTA: 1757257253850
***** 2. row *****
  LIP_ID: 101392
LIP_LIN_ID: 101390
  LIP_NAME: _b_Lucene90_0.tip
  LIP_ORDER: 0
LIP_TEN_ID: 1
  LIP_DATA: ?\lBlockTreeTermsIndex      i d\{*V.<A\nc\
Lucene90_0          \(\<C\          ,\p;
LIP_TIMSTA: 1757257253855
```

# soffid agent

You can check the soffid agent status by visiting the [Sync Server monitoring](#) page.

## Example

1. A soffid agent pending task.

**Image**

soffid

Url :

Task	Priority	Executions	Execution time	Message	Scheduled
index	<i>Search</i>	<i>Search ...</i>	<i>Search ...</i>	<i>Search ...</i>	<i>Search ...</i>
IndexObject com.soffid.iam.base.api.User 197099	1				

# Step-by-step

## Example 1

- 1. You update one user's data and save the changes.

**Image**



**Rosalind Franklin**

rfranklin



Basics Groups Accounts Roles Effective Roles Shared accounts Sessions User processes Issues Tokens OTP devices Backups

Expand all Collapse all ☰

▼ **Common attributes :**

User name \* :

rfranklin

First name \* :

Rosalind

Last Name \* :

Franklin

Middle name :

*Middle name*

Full name :

Rosalind Franklin

**2.** New tasks are created and executed.

**Image**

soffid
SA ▾

Url :  ↻ ⋮

Task	Priority	Executions	Execution time	Message
IndexObject com.soffid.iam.base.api.User 197099	1			
UpdateUser rfranklin	1			

Get log
Close

Displayed rows: 2

3. Then Sync Server indexes the updated text and places the index file.

### Image

```

root@200d60e4947a:/opt/soffid/iam-console-4/index/master/com.soffid.iam.base.api.User# ll
total 88
drwxr-x--- 2 root root 4096 Sep 27 07:45 ./
drwxr-x--- 4 root root 4096 Sep 27 07:21 ../
-rw-r----- 1 root root  447 Sep 27 07:40 _4.cfe
-rw-r----- 1 root root 2519 Sep 27 07:40 _4.cfs
-rw-r----- 1 root root  340 Sep 27 07:40 _4.si
-rw-r----- 1 root root   67 Sep 27 07:41 _b_3.liv
-rw-r----- 1 root root  447 Sep 27 07:40 _b.cfe
-rw-r----- 1 root root 3695 Sep 27 07:40 _b.cfs
-rw-r----- 1 root root  378 Sep 27 07:40 _b.si
-rw-r----- 1 root root  447 Sep 27 07:40 _c.cfe
-rw-r----- 1 root root 2530 Sep 27 07:40 _c.cfs
-rw-r----- 1 root root  340 Sep 27 07:40 _c.si
-rw-r----- 1 root root  447 Sep 27 07:41 _e.cfe
-rw-r----- 1 root root 2662 Sep 27 07:41 _e.cfs
-rw-r----- 1 root root  338 Sep 27 07:41 _e.si
-rw-r----- 1 root root  447 Sep 27 07:41 _i.cfe
-rw-r----- 1 root root 2623 Sep 27 07:41 _i.cfs
-rw-r----- 1 root root  338 Sep 27 07:41 _i.si
-rw-r----- 1 root root  447 Sep 27 07:44 _m.cfe
-rw-r----- 1 root root 2685 Sep 27 07:44 _m.cfs
-rw-r----- 1 root root  338 Sep 27 07:44 _m.si
-rw-r----- 1 root root  564 Sep 27 07:44 segments_m

```

4. Then Sync Server and updates the database table SC\_LUNIND by upgrading the LIP\_TIMSTA field of the User object or by creating a new record if it did not previously exist.

**Image**

```
MariaDB [soffid042]> select * from SC_LUNIND;
+-----+-----+-----+-----+
| LIP_ID | LIP_NAME                               | LIP_TEN_ID | LIP_TIMSTA |
+-----+-----+-----+-----+
| 101390 | master/bpm                             | 1          | 1758038614646 |
| 197420 | master/com.soffid.iam.base.api.User    | 1          | 1758961050456 |
+-----+-----+-----+-----+
2 rows in set (0.000 sec)
```

5. When the following search will be performed, the very first thing to do is check the database file. If it is necessary update the file system and finally perform the search.

## Example 2

1. The task engine mode is Read only

**Image**

Main Menu > Configuration > Integration engine > Smart engine settings

Task engine mode

Read only

Tasks limit per transaction

15


If a single transaction creates more than this number of tasks, tasks will be held until Soffid administrator releases them.

Scripting language

Javascript

Undo Confirm changes

2. You update one user's data and save the changes.



**Rosalind Franklin**

rfranklin



Basics Groups Accounts Roles Effective Roles Shared accounts Sessions User processes Issues Tokens OTP devices Backups

Expand all Collapse all ☰

▼ **Common attributes :**

User name \* :

rfranklin

First name \* :

Rosalind

Last Name \* :

Franklin

Middle name :

*Middle name*

Full name :

Rosalind Franklin

**3.** A new task is created and executed

**Image**

soffid

Url : local

Task	Priority	Executions	Execution time	Message	Scheduled
index	<i>Search</i>	<i>Search ...</i>	<i>Search ...</i>	<i>Search ...</i>	<i>Search ...</i>
IndexObject com.soffid.iam.base.api.User 197099	1				

**4.** Then Sync Server indexes the updated text and places the index file.

**5.** Then Sync Server and updates the database table SC\_LUNIND by upgrading the LIP\_TIMSTA field of the User object or by creating a new record if it did not previously exist.

**6.** When the following search will be performed, the very first thing to do is check the database file. If it is necessary update the file system and finally perform the search.

---

Revision #2

Created 27 September 2025 08:03:59 by Sion Vives

Updated 23 October 2025 16:37:05 by Sion Vives