
Tenants

Definition

Soffid is multi tenant. This means that one can configure many different tenants to manage disjoint groups of identities and applications.

Each Soffid object, including applications, systems, roles, users, and accounts are bound to a single tenant.

Of course, there is a special tenant named master. Master tenant administrators can jump to any other tenant with administration privileges.

Soffid recommends connecting directly to the specific tenant to configure it correctly. You have more information about this topic in the [Tenant access section](#).

Screen overview

https://www.youtube.com/embed/H8tL8n_jkxM?rel=0

Search in Soffid...

Main Menu > Configuration > Global Settings > Tenants

Buttons: Add new, Download CSV File, Import

Name ^	Description	Enabled
master	Autocreated master tenant	Yes
test	Test	Yes

Displayed rows: 2

Search in Soffid...

Main Menu > Configuration > Global Settings > Tenants

2 out of 2 < >

Buttons: Export, ...

Test
test

Name : *

test

Description : *

Test

Enabled :

No

Disabled permissions :

+ Add new

Assigned servers :

+ Add new

Buttons: Undo, Apply changes

Related objects

- Authorizations: to exclude authorizations in the tenants
- Synchronization servers: syncservers availables to manage the tenant

Standard attributes

- **Name:** Set a short name for the tenant.
- **Description:** Enter a long description for the tenant
- **Enabled:** Usually set to yes. If it's set to NO, no user will be able to log in to that tenant, and no provisioning or automated task will be ran on that tenant.
- **Disabled permissions:** By default, tenant administrator permissions are restricted, so they are not able to bypass tenant borders and access to other tenant information. To achive this, the following permissions are disabled by default, but some others can be added:
 - Open the tenants management page
 - Use the tenant micro-service
 - Manage sync servers
- **Assigned servers:** By default, the new tenant will not be able to use any sync server unless it is authorized to. So, one can create a sync server for a specific tenant that cannot be used by any other tenant.

Actions

Table actions

Add new	Allows you to create a new Tenant.
Download CSV file	Allows you to download a CSV file with the tenant information displayed in the table.

Tenant actions

Apply changes	Allows you to save the data of a new tenant or to update the data of a specific tenant. To save the data it will be mandatory to fill in the required fields.
Export	The process will generate a compressed file with all the information contained in the Tenant. It includes even the connectors configurations, mappings and global settings.
Delete Tenant	Allows you to delete the tenant. To perform that action, Soffid will ask you for confirmation, you could confirm or cancel the operation. Remember that this action will delete all data from the tentant. We recommend saving a backup using the Export option beforehand.

Login	If you have permission to log into a different tenant, you can use this option to access to it. This option is not intended for normal usage, but for administrative purposes
Import	The user can upload the previously exported tenant. The process will restore all the information contained in the Tenant, including connectors configurations, mappings and global settings.If the Tenant already exists, the process will not replace it. A new tenant will be created with a new name. If you want to replace the existing tenant, remove it before uploading the tenant export file.
Undo	Allows you to quit without applying any changes.

Others

Tenant access

Option 1: direct access to the tenant

When users are connecting to Soffid console, the master tenant is displayed by default. In order to directly connect to any tenant, a DNS entry with the tenant name must be added to your DNS server.

For instance, if you have deployed a Soffid console with the DNS name **console.soffid4.local**, the DNS name **test.console.soffid4.local** will be used to access to the **test** tenant.

```
# Soffid local
127.0.0.1 console.soffid4.local
127.0.0.1 syncserver.soffid4.local
127.0.0.1 test.console.soffid4.local
```

Note that you must configure the **hostName** Soffid parameter in the master with your DNS name



Parameter *

hostName

Value

console.soffid4.local

Network

 Network



Description

master tenant



Option 2: access through the master

You can also configure the login page using the **soffid.auth.showTenant** Soffid parameter. If the parameter value is true, Soffid will display a new box in the login page to write the tenant name to login.

Main Menu > Configuration > Global Settings > Soffid parameters



Parameter *

soffid.auth.showTenant

Value

true


Network

 Network



Description

To Login directly to the tenant



Revision #8

Created 19 July 2025 11:24:56 by Sion Vives

Updated 22 September 2025 13:01:07 by Sion Vives