

Rules

Description

“ A rule is the most elementary unit of policy. It may exist in isolation only within one of the major actors of the XACML domain. In order to exchange rules between major actors, they must be encapsulated in a policy. A rule can be evaluated on the basis of its contents.

A rule is composed by a target, an effect and a condition. It is able to add more than one rule to the policy.

Screen overview

Rule

Rule :

Description :

Effect :

Deny

Target

Subjects

Operator

Value

+

Resources

Operator

Value

+

Actions

Operator

Value

+

Environments

Operator

Value

+

Displayed rows: 0

Displayed rows: 0

Conditions

Condition

Expression

+

Displayed rows: 0

Undo

Close

Related objects

- **Policy**
- **Target**

- **Conditions**

Standard attributes

- **Rule:** rule name.
- **Description:** brief description of the rule.
- **Effect:** "Rule effect declaration. When a rule evaluates to 'True' it emits the value of the Effect attribute. This value is then combined with the Effect values of other rules according to the rule combining algorithm."Two values are allowed:
 - Permit.
 - Deny.
- **Target**
- **Conditions**

Actions

Add new	Allows you to add a new rule to the rules list. To add a new rule you need to click the add button, located at the end of the header and fulfill the form and save the data.
Delete	Allows you to delete a rule to the rules list. To delete the rule, you need to click the rule you want to delete, and click the button with the subtraction symbol (-) at the end of the record. To perform that action, Soffid will ask you for confirmation, you could confirm or cancel the operation.
Close	Allows you to save the data of a new rule or to update the data of a specific variable. To save the data it will be mandatory to fill in the required fields
Undo	Allows you to quit without applying any changes.

https://docs.oasis-open.org/xacml/2.0/access_control-xacml-2.0-core-spec-os.pdf